

SMART CONTROL SOLUTION

for **SkyAir**

Control all air conditioners in and out of the premises with Daikin Smart Control by simply adding D'Mobile Card (model BRP072C42-1) to SkyAir units

Do away with the common remote controller. Conveniently control at ease with personal smart devices.

BENEFITS



Conveniently control and monitor SkyAir units remotely from inside and outside of the premise



Malfunction alerts and error code tracing are reported automatically to the user for prompt servicing



Weekly scheduling to suit the office needs (up to 6 actions per day)



Covid-19 measure where touchpoints are reduced for controlling SkyAir unit using personal smart device instead of a common remote controller

Be in complete control of air conditioner

MINIMISE TOUCHPOINTS 1000

Use personal smart phone or devices to control the air conditioners

CHECK AIR CONDITIONER STATUS

Be worry-free and check the air conditioner ON/OFF status anywhere

REMOTELY OPERATION CONTROL

Use smart device to set the air conditioner temperatures remotely. In addition, Daikin Mobile Controller App allows the user to receive malfunction/ error code automatically

WHAT YOU NEED TO PREPARE



Daikin Mobile Controller (Optional Adaptor)

BRP072C42-1

D'MOBILE












Wireless router

SkyAir Smart Control Solution (option)



IMPROVE CONTROL WITH SMART CONTROL SOLUTION

Daikin Smart Control Solution improves the control and monitoring of SkyAir units from smart phone or tablet with automatic notifications on malfunction error code, energy consumption, multi tenant billing system and many more.

FEATURES



Smart Solution Control

- Control and customise smart devices and electrical appliances conveniently
- Allows for greater control and applicable for multi site monitor and control according to buildings' needs





Energy Consumption Monitoring & Billing System*

 Take control of the electrical costs by monitoring usage
 with the use of an Energy Clamp/kWh Metre



Multi Tenant/ Multi Site Monitoring


 Applicable for multi outlet monitoring and control

OFFICE SOLUTIONS: CONTROL AND MONITOR

Wifi devices D'mobile IP Camera Cat 5/6 Cable Z-Wave Zwave devices Smart Plug Roller Curtain Sensor Sensor Sensor Air Purifier Sensor

For other smart devices and solution, please visit www.daikin.com.sq for more information.

MULTI SITE MONITORING SYSTEM



Benefits

- Remote multi-site control for all sites from headquarters
- Reduce manpower to manage all outlets
- Reduce any unnecessary energy consumption

APPLICATIONS











Wifi Connection Adaptor

Specific accessories required depending on D'Mobile or Smart Control selection

	D'MOBILE		SMART CONTROL		
	BRP072C42-1	BRP072C42	DTA112ABA51	DCPA01	DCPF01/ DCPF05
No. of FCU Connection	1	1	1	16	64
CEILING MOUNTED CASSETTE TYPE FCF50 - FCF125CVMG	√				✓
CEILING MOUNTED CASSETTE TYPE FCFC100 - FCFC140DVMG				✓	✓
MINI CEILING MOUNTED CASSETTE TYPE FFFC35 - FFFC50AVMG	✓				✓
DUCT CONNECTION MIDDLE STATIC PRESSURE TYPE FBFC50 - FBFC140DVMG				✓	✓
CEILING SUSPENDED TYPE FHFC50 - FHFC140DVIG			✓	✓	✓
WALL MOUNTED TYPE FAFC100AVIG Note:		√			✓

 $[\]checkmark Specific accessories required depending on D'Mobile or Smart Control selection. Please contact Daikin Singapore for more details.$



[&]quot;In the event of a combination of various type of FCU, please refer to Daikin sales personnel for more details.
"If SkyAir is paired with Smart Control Hub, a centralised controller (DCS302CA61, DCS301CA61) is required for Indoor Unit addressing purpose.